Mathematica Aeterna, Vol. 1, 2011, no. 07, 517 - 527

# ON SLANT HELICES AND GENERAL HELICES IN EUCLIDEAN *n*-SPACE

### Yusuf YAYLI

Department of Mathematics, Faculty of Science, University of Ankara, Tandoğan, Ankara,

#### **Evren ZIPLAR**

Department of Mathematics, Faculty of Science, University of Ankara, Tandoğan, Ankara,

#### Abstract

In this paper, in Euclidean *n*-space  $E^n$ , we investigate the relation between slant helices and spherical helices. Moreover, in  $E^n$ , we show that a slant helix and the tangent indicatrix of the slant helix have the same axis (or direction). Also, we give the important relations between slant helices, spherical helices in  $E^n$  and geodesic curves on a helix hypersurface in  $E^n$ .

**Keywords:** Slant helices, General helices, Spherical helices, Ttangent indicatrix, Helix hypersurfaces

Mathematics Subject Classification 2000: 53A04, 53B25, 53C40, 53C50

## **1. Introduction**

Slant helice is one of the most important topics of differential geometry. Izumiya and Takeuchi have investigated the many properties of slant helices that the normal lines make a constant angle with a fixed direction in Euclidean 3-space [14]. Moreover, they proved that a space curve is a slant helix if and only if the geodesic curvature of the principal normal of the curve is a constant function [14].

- [16] S. Yılmaz and M. Turgut, A new version of Bishop frame and an application to spherical images, *Journal of Mathematical Analysis and Applications.*, 371 (2), (2010) pg. 764-776.
- [17] Y. Yaylı and E. Zıplar, Constant angle ruled surfaces in Euclidean spaces, (2011), Submitted.